Substitute for form 1449A/PTO (Modified)

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

1 Sheet

| U.S. Patent and | Trademark Unice: U.S. DEPARTMENT OF COMMERCE. |
|------------------------|---|
| | Complete if Known |
| Application Number | 10/656,628 |
| Filing Date | September 5, 2003 |
| First Named Inventor | Yoshihide SENZAKI |
| Art Unit | 2812-1767 |
| Examiner Name | Not yet assigned |
| Attorney Docket Number | A-71730/MSS (463035-878) |

| | | | U.S. PATENT | DOCUMENTS | |
|---------------------|-------------|---|--------------------------------|--|--|
| Examiner hitials | Cite No. | Document Number Number-Kind Code ² (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
| 1// | A1 | 5,298,296 | 03-29-1994 | Kojima et al. | 7 |
| 112 | A2 | 6,528,364 B1 | 03-04-2003 | Thakur | |
| V | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | · . | | | |
| | | | | | |
| | | | | | |

| FOREIGN PATENT DOCUMENTS | | | | | | | |
|---------------------------|-------------|---|--------------------------------|---|---|----------------|--|
| Examiner laitats/ | Cite No. | Fareign Patent Document Country Code ² Number ⁴ Kind Code ⁸ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T [©] | |
| V/ | B1 | DE 1,544,287 | 07-10-1969 | Slemens | Abstract | ╁╌ | |
| V7 | B2 | EP 0 418 468 A1 | 03-27-1991 | Nguyen et al. | Abstract | T | |
| | B3 | EP 0 935 284 A1 | 08-11-1998 | Hwang | Abstract | <u> </u> | |
| | B4 | JP 2002-343962 A | 11-29-2002 | Sato et al. | Abstract | \vdash | |
| | B 5 | WO 94/29493 A2 | 12-22-1994 | Fernandez et al. | Abstract | | |
| $\mathbf{M}_{\mathbf{Z}}$ | | | | | | ┢ | |
| $_{ u}$ | | | | | | \vdash | |
| | | | | | | \vdash | |

| | - | | - 1 | ſ |
|-----------------------|----|--------------------|------|-------------|
| Examiner Signature | (V | Date Considered | 9/26 | 05 |
| E1444444 | | | | |

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the complete application form to the USPTO. Time will vary depending on the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

considered. Include copy of this form with next communication to applicant.

'Applicant's unique citation designation number (optional).

'Applicant's unique citation designation number (optional).

'Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3).

For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.

16 if possible.

Applicant is to place a check mark here if English Language Translation is attached.

Substitute for form 1449A/PTO (Modified)

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 3

| O.S. Patent and | THAT THE THE THE THE THE THE THE THE THE TH | | | | | |
|-----------------------|---|--|--|--|--|--|
| Complete if Known | | | | | | |
| Application Number | 10/656,628 | | | | | |
| Filing Date | September 5, 2003 | | | | | |
| First Named Inventor | Yoshihide SENZAKI | | | | | |
| Art Unit | 2812 1762 | | | | | |
| Examiner Name | Not yet assigned | | | | | |
| Attomey Docket Number | A-71730/MSS | | | | | |

| U.S. PATENT DOCUMENTS | | | | | | |
|-----------------------|-----|--|-----------------------------|--|---|--|
| | | Document Number Number-Kind Code ² (<i>if known</i>) | Publication Date MM-OD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Releva Passages or Relevant Figures Appea | |
| In | A1 | 4,239,811 | 12-16-1980 | Kemlage | 1 | |
| | A2 | 4,720,395 | 01-19-1988 | Foster | 1 / . | |
| 1 | A3 | 5,032,545 | 07-1991 | Doan et al. | | |
| | A4 | 5,478,765 | 12-26-1995 | Kwong et al. | | |
| | A5 | 5,576,059 | 11-19-1996 | Beinglass et al. | | |
| | A6 | 5,578,848 | 12-26-1995 | Kwong et al. | | |
| | A7 | 5,744,196 | 04-28-1998 | Laxman et al. | | |
| | A8 | 5,874,368 | 02-23-1999 | Laxman et al. | 1 | |
| | A9 | 5,932,286 | 08-03-1999 | Beinglass et al. | | |
| | A10 | 6,114,662 | 09-2000 | Guidotti et al. | 1 / | |
| | A11 | 6,150,286 | 11-21-2000 | Sun et al. | 1 | |
| \neg | A12 | 6,153,261 | 11-28-2000 | Xia et al. | 1 / | |
| 1 | A13 | 2003-0104707 A1 | 06-05-2003 | Senzaki | | |
| 11/ | A14 | 2001-0003381 A1 | 06-14-2001 | Orlowski et al. | | |
| W | | | | | | |
| A | | | | | | |
| | i | | | | 1 | |
| | T - | | | | 1 | |
| | | | | | | |
| | | | | | | |

| L | FOREIGN PATENT DOCUMENTS | | | | | | | |
|----------------|--------------------------|---|-------------|---|--------------------------------|--|---|----|
| | Exam Initia | | Cite No. | Foreign Patent Document Country Code ² Number ⁴ Kind Code ⁶ (if known) | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | 7* |
| \blacksquare | | | B1 | EP 0 260 473 A1 | 03-23-1988 | IBM | | |
| | | 7 | B2 | EP 1 047 117 A2 | 10-25-2000 | Oki Electric Ind. Co. Ltd. | | |
| V | _\ | | | | | | | |
| L | | | | | | | | |
| L | | | | | | | | |
| L | | | | | | | | |
| L | | | | | | | | |
| L | | | | igcap | | | | |

| | /_/ | | 1. 1 |
|-----------------------|------|--------------------|---------|
| Examiner Signature | | Date Considered | 9/26/03 |

USPTO to process) an application. Confidentiality governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the complete application form to the USPTO. Time will vary depending on the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation in not in conformance and not considered. Include copy of this form with next communication to applicant.

*Applicant's unique citation designation number (optional). *See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. *Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). *For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. *G Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. *Applicant is to place a check mark here if English Language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the table of the patent of the paten

| Substitute for form 1449A/PTO | | | A/PTO · | Complete if Known | | |
|-------------------------------|------------------------|------------|----------------------|------------------------|-------------------|--|
| | (Mo | dified) | | Application Number | 10/656,628 | |
| . IN | IFORMATION | N DISC | CLOSURE | Filing Date | September 5, 2003 | |
| S | STATEMENT BY APPLICANT | | First Named Inventor | Yoshihide SENZAKI | | |
| | | | | Art Unit | 2812 1762 | |
| | (use as many sh | eets as ne | cessary) | Examiner Name | Not yet assigned | |
| Sheet | 2 | of | 3 | Attorney Docket Number | A-71730/MSS | |

| | | | NON PATENT LITERATURE DOCUMENTS | |
|----------------|-------|-------------|---|----------------|
| Exam Initia | iffer | Cilq No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ⁴ |
| 40 | | C1 | Author Unknown, "Wafer Processing News: Nitride Gate Dielectric, Poly/W Electrode Enable 100nm CMOS", 2000, Cahners Semiconductor International, at http://www.semiconductor.net/semiconductor/issues/issues/2000/20001/six001wp.asp, p. 1. | |
| L^V | | C2 | ERIGUCHI, K., et al., "Role of Base Layer in CVD SI ₃ N ₄ Stack Gate Dielectrics on the Process Controllability and Reliability in Direct Tunneling Regime", <i>IEEE</i> , 1999, pp. 323-326. | |
| | | СЗ | HENDA, R., et al., "Characterization of Chemically Vapor Deposited Silicon Nitride Films from Disilane and Ammonia", <i>Jpn. J. Appl. Phys.</i> , April 1, 1995, Vol. 34, Part 2, No. 4A: L437-L439. | |
| | | C4 | HENDA, R., et al., "Experimental and chemical kinetic study of silicon nitride via LPCVD at low temperature from disilane and ammonia", <i>Journal De Physique IV</i> , 1993, 3: 395-402. | |
| | | C5 | HENDA, R., et al., "Kinetics of the Low Pressure Chemical Vapor Deposition of Stoichiometric Silicon Nitride at Low Temperature from Disilane and Ammonia", Journal of Chemical Vapor Deposition, January 1993, 1: 300-314. | |
| | | C6 | KIM, B.Y., et al., "Ultra Thin (<3 nm) High Quality Nitride/Oxide Stack Gate Dielectrics Fabricated in In-Situ Rapid Thermal Processing", IEEE, 1997, pp. 463-466. | |
| | | C7 | LASER, A., et al., "Hot Wall Isothermal RTO for gate Oxide Growth and Nitridation", Mat. Res. Soc. Meeting, April 2000, Abstract C7.7. | |
| | | CB | LAXMAN, R.K., et al., "A low-temperature solution for silicon nitride deposition", Solid State Technology, April 2000, 79-87. | |
| | | C9 | LEE, E., "Investigation of microstructure and grain growth of polycrystalline silicon deposited using silane and disilane", Thin Solid Films, 1993, 226:123-128. | |
| | | C10 | LEVY, S., et al., "Solutions for the 100nm Node with Ultrathin Silicon Nitride Gates", Solid State Technology, April 2001, pp. 75-80. | |
| | | C11 | MIZUNO, Y., et al., "Analysis of reaction gases flow in CVD processes", Materials Science and Engineering, 1995, B35: 156-159. | |
| | • | C12 | OLIVARES, J., et al., "Effect of Deposition Parameters on the Characteristics of Low-Pressure Chemical Vapor Deposited SiGe Films Grown from Si ₂ H ₆ and GeH ₆ ", <i>Journal of The Electrochemical Society</i> , 2001, 148(10):C685-C-689. | |
| | | C13 | ONAI, T., et al., "0.1 µm CMOS Technology for High-Speed Logic and System LSIs with SiO/Si/poly-Si/W Gate System", IEEE, 1999, pp. 937-938. | |
| | | C14 | SENZAKI, Y., et al., "Single-wafer furnace RTCVD for silicon oxide, nitride, and oxynitride thin films", 9 th Int. Conference on Advanced Thermal Processing of Semiconductors, RTP 2001 (Cat. No. 02EX513), Anchorage, Alaska, 25-29 Sept. 2001, pages 197-200. | |
| | | C15 | SONG, S.C., et al., "Ultra Thin (<2014) CVD Sl ₃ N ₄ Gate Dielectric for Deep-Sub-Micron CMOS Devices", IEEE, 1998, pp. 373-376. | |
| | | C16 | SONG, S.C., et al., "Ultra Thin High Quality Stack Nitride/Oxide Gate Dietectrics Prepared by In-Situ Rapid thermal N ₂ O Oxidation of NH ₃ -nitrided Si", republished in <i>Elsevier Science B.V., Microelectronic Engineering</i> , 1999, 48: 55-58. | |
| Ī | | C17 | SONG, S.C., et al., "Ultra Thin High Quality Stack Nitride/Oxide Gate Dielectrics Prepared by In-Situ Rapid thermal N ₂ O Oxidation of NH ₃ -nitrided Si", Symposium on VLSI Technology Digest of Technical Papers, 1999, pp. 137-138. | |
| | | C18 | TANAKA, M., et al., "Film Properties of Low-k Silicon Nitride Films Formed by Hexachtorodisilane and Ammonia", Journal of the Electrochemical Society, 2000, 147(6): 2284-2289. | |
| \Box | Y | C19 | TAYLOR, R.C., et al., "Hexachlorodisilane as a Precursor in the LPCVD of Silicon Dioxide and Silicon Oxynitride Films", V. Flectrochem. Soc., August 1989, 136(8): 2382-2385. | |
| = | | | | |

Examiner Date Considered Signature

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 801.04. Senter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English Language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including patheting parameters and submitting the complete application from to the USPTO. Time will vary depending on the individual case. Any comments on

induding gathering, preparing, and submitting the complete application form to the USPTO. Time will vary depending on the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

| | Substitute for fo | | NPTO | | Complete if Known | |
|-------|-------------------|-----------|----------|------------------------|-------------------|---|
| | (Modi | fied) | | Application Number | 10/656,628 | |
| IN | IFORMATION | DISC | CLOSURE | Filing Date | September 5, 2003 | |
| S | TATEMENT B | Y AF | PLICANT | First Named Inventor | Yoshihide SENZAKI | |
| | | | | Art Unit | 2812 | |
| | (use as many shee | ets as ne | cessary) | Examiner Name | Not yet assigned | , |
| Sheet | 3 | of | 3 | Attorney Docket Number | A-71730/MSS | |

| NON PATENT LITERATURE DOCUMENTS | | | | | |
|---------------------------------|-------------|---|-----------------|--|--|
| Exampler oitials/ | Cite No. | Include name of the author (in CAPITAL LETTERS), 68e of the article (when appropriate), title of the Item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | 7 | | |
| | C20 | TAYLOR, R.C., et al., "LPCVD of Silicon Nitride Films from Hexachlorodisilane and Ammonia", Mat. Res. Soc. Symp. Proc., 1988, 105: 319-325. | | | |
| 7 | C21 | TEASDALE, D., et al., "LPCVD of silicon Nitride from Dichlorosilane and Ammonia by Single Wafer Rapid Thermal Processing", Electrochemical and Solid State Letters, The Electrochemical Soc., 2001, pp. F11-F12. | | | |
| | Ć22 | YOON, T., et al., "Initial Stage of Amorphous Si and Sio, Geo.3 Deposition on SiO2 by Low-Pressure Chemical Vapor Deposition", Journal of The Electrochemical Society, 2002, 149(6): C301-C305. | | | |
| \mathbb{Z} | | | | | |
| | | · · · · · · · · · · · · · · · · · · · | $oxed{igspace}$ | | |
| | | | - | | |
| | | · | \vdash | | |
| | | | \vdash | | |
| | | | ╀ | | |
| | | | ╁ | | |
| | | | ╁ | | |
| | | | \vdash | | |
| | | | t | | |
| | | | T | | |
| | | | T | | |
| | | , | T | | |
| | | | T | | |
| | | | | | |
| | | | L | | |
| | | | L | | |
| <u> </u> | L.,, | | | | |
| | | Date Date | | | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional).

See Kinds Codes of USPTO Patent Documents at www.uspto.gog or MPEP 901.04.

Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3).

For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.

It if possible...

Applicant is to place a check mark here if English Language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the complete application form to the USPTO. Time will vary depending on the Individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.